Dulles Corridor Special Study Potential Mitigation Measures

Presented to:

Reston Master Plan Special Study Task Force


Presented by:

Fairfax County Department of Transportation

December 14, 2010



TRANSPORTATION ANALYSIS PROCESS






What is the Model?

- Travel Demand Forecasting Model
 - Tool Used by all MPO's in US
 - Regional Model used by MWCOG with County Enhancements
- Land Use is Divided into Zones (TAZ's)
- Supply of Transportation is represented by the highway and transit network
- Demand for Travel Developed Using a Series of Mathematical Models
- Provides information such as vehicle miles traveled (VMT) and mode choice/use





Study Area








County of Fairfax, Virginia

Future Evening Peak Hour Level of Service





General Mitigation Strategies

- Strategic Land Use (TOD)
 - Mixed –Use, Location, Type
- Local Connections
- Enhanced Pedestrian and Bicycle Paths
- Increase Use of Transit
- Enhanced TDM
- Traffic Operations
- Intersection Improvements



- Potential Mitigation Strategies By Location
 - Selected Problem Intersections Examined
 - Mitigation Measures Suggested for Future Consideration and Evaluation
 - Suggested Mitigation Measures Have Not Been Evaluated




Intersection Analysis

Abbreviation Terminologies:

- •LOS Level of Service
- •SOD Seconds of Delay
- •NB Northbound direction approaching the intersection
- •SB Southbound direction approaching the intersection
- •WB Westbound direction approaching the intersection
- •EB Eastbound direction approaching the intersection









- Existing AM LOS D (45 sod)
 - SB left turn
 - NB left turn






- Existing AM LOS D (45 sod)
 - SB left turn
 - NB left turn
- Future AM LOS F (110 sod)
 - SB left turn
 - SB Wiehle Ave before the intersection





- Existing AM LOS D (45 sod)
 - SB left turn
 - NB left turn
- Future AM LOS F (110 sod)
 - SB left turn
 - SB Wiehle Ave before the intersection
 - Existing PM LOS F (80 sod)
 - WB left turn
 - EB right turn






- Existing AM LOS D (45 sod)
 - SB left turn
 - NB left turn
- Future AM LOS F (110 sod)
 - SB left turn
 - SB Wiehle Ave before the intersection
- Existing PM LOS F (80 sod)
 - WB left turn
 - EB right turn
- Future PM LOS F (280 sod)
 - WB left turn
 - EB right turn




- Potential Mitigation Measures to Consider:
 - Add local north-south connection through Isaac Newton Square
 - Build Soapstone Extension across Dulles Toll Road (Comp Plan)
 - Improve EB Sunset Hills right turn lane (RMAG)
 - Dedicated bus lane on Sunset Hills (RMAG)
 - Add dual left turn lanes on WB Sunset Hills Road
 - Add dual left turn lanes on SB Wiehle Avenue





- Existing AM LOS D (40 sod)
 - EB left turn
 - SB left turn






- Existing AM LOS D (40 sod)
 - EB left turn
 - SB left turn
- Future AM LOS F (100 sod)
 - EB left turn
 - SB left turn
 - WB right turn





- Existing AM LOS D (40 sod)
 - EB left turn
 - SB left turn
- Future AM LOS F (100 sod)
 - EB left turn
 - SB left turn
 - WB right turn
- Existing PM LOS C (30 sod)
 - SB left turn





- Existing AM LOS D (40 sod)
 - EB left turn
 - SB left turn
- Future AM LOS F (100 sod)
 - EB left turn
 - SB left turn
 - WB right turn
- Existing PM LOS C (30 sod)
 - SB left turn
- Future PM LOS D (50 sod)
 - SB left turn
 - EB left turn



- Potential Mitigation Measures to Consider:
 - Improve WB Sunrise Valley Drive right turn lane (RMAG)
 - Build Soapstone Extension across Dulles Toll Road (Comp Plan)
 - Add channelization to avoid turning conflicts








- Existing AM LOS F (90 sod)
 - NB left turn
 - NB right turn








- Existing AM LOS F (90 sod)
 - NB left turn
 - NB right turn
- Future AM LOS F (190 sod)
 - NB right turn
 - NB left turn and WB left turn





- Existing AM LOS F (90 sod)
 - NB left turn
 - NB right turn
- Future AM LOS F (190 sod)
 - NB right turn
 - NB left turn and WB left turn
- Existing PM LOS F (110 sod)
 - WB left turn





- Existing AM LOS F (90 sod)
 - NB left turn
 - NB right turn
- Future AM LOS F (190 sod)
 - NB right turn
 - NB left turn and WB left turn
- Existing PM LOS F (110 sod)
 - WB left turn
- Future PM LOS F (240 sod)
 - WB left turn
- Overall there are heavy volumes for all turning movements and through lanes




- Potential Mitigation Measures to Consider:
 - Town Center Parkway extension under DTR (Comp Plan and RMAG)
 - Grade separate through movements on Reston Parkway
 - Shrink intersection to improve pedestrian crossings






- Existing AM LOS E (60 sod)
 - SB left turn






- Existing AM LOS E (60 sod)
 - SB left turn
- Future AM LOS F (110 sod)
 - SB left turn
 - NB Reston Pkwy through





- Existing AM LOS E (60 sod)
 - SB left turn
- Future AM LOS F (110 sod)
 - SB left turn
 - NB Reston Pkwy through
- Existing PM LOS E (79 sod)
 - SB Reston Pkwy through
 - WB right turn






- Existing AM LOS E (60 sod)
 - SB left turn
- Future AM LOS F (110 sod)
 - SB left turn
 - NB Reston Pkwy through
- Existing PM LOS E (79 sod)
 - SB Reston Pkwy through
 - WB right turn
- Future PM LOS F (150 sod)
 - SB Reston Pkwy through
 - WB right turn



- Potential Mitigation Measures to Consider:
 - Town Center Parkway extension under DTR (Comp Plan and RMAG)
 - Improve SB Reston Parkway right turn lane (RMAG)
 - Add third lane on Reston Parkway (per Comp Plan north of Sunrise Valley Drive)




Wiehle Avenue Station Cordon Analysis Results





Reston Parkway Station Cordon Analysis Results





General Mitigation Strategies

- Strategic Land Use (TOD)
 - Mixed –Use, Location, Type
- Local Connections
- Enhanced Pedestrian and Bicycle Paths
- Increase Use of Transit
- Enhanced TDM
- Traffic Operations
- Intersection Improvements



Questions/Discussion

